Brain Research, 425 (1987) 407–409
Elsevier

Author Index

Aguilera, P., see Olmos, G., 57
Akhtar, N.D., see Land, P.W., 178
Alafuzoff, I., see Marcusson, J.O., 137
Aston-Jones, G., see Ennis, M., 275
Audinat, E., see Penit-Soria, J., 263

Bäckström, I.T. and Marcusson, J.O., 5-Hydroxytryptamine-sensitive [^{3}H]imipramine binding of protein nature in the human brain. I. Characteristics, 128
Bäckström, I.T., see Marcusson, J.O., 137
Barnes, C.A., see Leonard, B.J., 174
Barry, M.A., Central connections of the IXth and Xth cranial nerves in the clearnose skate, *Raja eglanteria*, 159
Battaner, E., Rodriguez del Castillo, A., Guerra, M. and Mas, M., Gonadal influences on spinal cord and brain monoamines in male rats, 391
Bloedel, J.R., see McDevitt, C.J., 1
Bloedel, J.R., see McDevitt, C.J., 14
Bourne, R.C., see Chmielowska, J., 283
Bradley, R.J. and Edge, M.T., Forskolin counteracts the effects of the organophosphate soman at the neuromuscular junction, 401
Brady, L.S. and Herkenham, M., Dehydration reduces κ-opiate receptor binding in the neurohypophysis of the rat, 212
Brodie, M.S. and Dunwiddie, T.V., Cholecystokinin potentiates dopamine inhibition of mesencephalic dopamine neurons in vitro, 106

Chmielowska, J., Stewart, M.G. and Bourne, R.C., Autoradiographic localization of γ-aminobutyric acid receptors in mouse barrel field, 283
Coffield, J.A. and Miletic, V., Immunoreactive enkephalin is contained within some trigeminal and spinal neurons projecting to the rat medial thalamus, 380
Crepel, F., see Penit-Soria, J., 263
Crusio, W.E., Schwegler, H. and Lipp, H.-P., Radial-maze performance and structural variation of the hippocampus in mice: a correlation with mossy fibre distribution, 182

Dalsass, M. and Siegel, A., The bed nucleus of the stria terminalis: electrophysiological properties and responses to amygdaloid and hypothalamic stimulation, 346
Descarries, L., see Soghomonian, J.-J., 85
Doucet, G., see Soghomonian, J.-J., 85
Dunwiddie, T.V., see Brodie, M.S., 106

Ebner, T.J., see McDevitt, C.J., 1
Ebner, T.J., see McDevitt, C.J., 14
Edge, M.T., see Bradley, R.J., 401
Ennis, M. and Aston-Jones, G., Two physiologically distinct populations of neurons in the ventrolateral medulla innervate the locus coeruleus, 275
Ericsson, E., see Marcusson, J.O., 137

Faden, A.I., see McIntosh, T.K., 225
Fanardjian, V.V. and Gorodnov, V.L., Electrophysiological peculiarities of cortical inputs to the cat red nucleus, 65
Ferrell, W.R. and Smith, A., The effect of digital nerve block on position sense at the proximal interphalangeal joint of the human index finger, 369
Frey, J.M., Ticku, M.K. and Huffman, R.D., GABAergic supersensitivity within the pars reticulata of the rat substantia nigra following chronic haloperidol administration, 73
Fry, K.R., see Oyster, C.W., 25

Garcia-Segura, L.M., see Olmos, G., 57
Ghignone, M., see Quintin, L., 319
Gillon, J.-Y., see Quintin, L., 319
Gorodnov, V.L., see Fanardjian, V.V., 65
Gottfries, C.G., see Marcusson, J.O., 137
Guerra, M., see Battaner, E., 391
Guinan, Jr., J.J., see Kobler, J.B., 372

Hama, K., see Kawaguchi, Y., 351
Head, V.A., see McIntosh, T.K., 225
Herkenham, M., see Brady, L.S., 212
Hoover, R.L., see Rutten, M.J., 301
Huffman, R.D., see Frey, J.M., 73

Inagaki, S., see Shimada, S., 256
Innes, D., see Kavaliers, M., 49

Kameyama, M., see Tomimoto, H., 248
Kamo, H., see Tomimoto, H., 248
Karnovsky, M.J., see Rutten, M.J., 301
Kavaliers, M. and Innes, D., Stress-induced opioid analgesia and activity in deer mice: sex and population differences, 49
Kawaguchi, Y. and Hama, K., Fast-spiking non-pyramidal cells in the hippocampal CA_3 region, dentate gyrus and subiculum of rats, 351
Kelly, P.A.T. and McCulloch, J., Cerebral glucose utilization following striatal lesions: the effects of the GABA agonist, muscimol, and the dopaminergic agonist, apomorphine, 290
Kimura, H., see Tomimoto, H., 248
Kito, S., see Shimada, S., 256
Knoops, B. and Van den Bosch de Aguilar, P., A new in vivo model to study the influence of the microenvironment in the regeneration of the central nervous system, 191
Kobler, J.B., Vacher, S.R. and Guinan, Jr., J.J., The recruitment order of stapedius motoneurons in the acoustic reflex varies with sound laterality, 372
Kondo, A., Nakano, T. and Suzuki, K., Blood-brain barrier permeability to horseradish peroxidase in twitcher and cuprizone-intoxicated mice, 186
Kubota, Y., see Shimada, S., 256
Kucera, J., see Walro, J.M., 311

Lam, D.M.-K., see Oyster, C.W., 25
Land, P.W. and Akhtar, N.D., Chronic sensory deprivation affects cytochrome oxidase staining and glutamic acid decarboxylase immunoreactivity in adult rat ventrobasal thalamus, 178
Leonard, B.J., McNaughton, B.L. and Barnes, C.A., Sup-

pression of hippocampal synaptic plasticity during slow-wave sleep, 174
Liebeskind, J.C., see Morgan, M.M., 356
Lipp, H.-P., see Crusio, W.E., 182
Lisak, R.P., see Rostami, A., 205
Lisk, R.D., see Takahashi, L.K., 337
Lucas, J.H., Proximal segment retraction increases the probability of nerve cell survival after dendrite transection, 384

Maler, L., see Nadi, S., 218
Marcusson, J.O., Alafuzoff, I., Bäckström, I.T., Ericsson, E., Gottfries, C.G. and Winblad, B., 5-Hydroxytryptamine-sensitive [^{3}H]imipramine binding of protein nature in the human brain. II. Effect of normal aging and dementia disorders, 137
Marcusson, J.O., see Bäckström, I.T., 128
Mas, M., see Battaner, E., 391
Matthew, W.D., see Sandrock, Jr., A.W., 360
McAllister, II, J.P., see Walker, P.D., 34
McCulloch, J., see Kelly, P.A.T., 290
McDevitt, C.J., Ebner, T.J. and Bloedel, J.R., Changes in the responses of cerebellar nuclear neurons associated with the climbing fiber response of Purkinje cells, 14
McDevitt, C.J., Ebner, T.J. and Bloedel, J.R., Relationships between simultaneously recorded Purkinje cells and nuclear neurons, 1
McGeer, P.L., see Tomimoto, H., 248
McIntosh, T.K., Head, V.A. and Faden, A.I., Alterations in regional concentrations of endogenous opioids following traumatic brain injury in the cat, 225
McNaughton, B.L., see Leonard, B.J., 174
Meguri, H., see Ohgaki, T., 364
Miletic, V., see Coffield, J.A., 380
Morgan, M.M. and Liebeskind, J.C., Site specificity in the development of tolerance to stimulation-produced analgesia from the periaqueductal gray matter of the rat, 356
Mori, N. and Wada, J.A., Bidirectional transfer between kindling induced by excitatory amino acids and electrical stimulation, 45

Nadi, S. and Maler, L., The laminar distribution of amino acids in the caudal cerebellum and electrosensory lateral line lobe of weakly electric fish (*Gymnotidae*), 218
Naftolin, F., see Olmos, G., 57
Nakano, T., see Kondo, A., 186
Nasution, I.D. and Shigenaga, Y., Ascending and descending internuclear projections within the trigeminal sensory nuclear complex, 234

Ogita, K., see Ohgaki, T., 364
Ohgaki, T., Meguri, H., Ogita, K. and Yoneda, Y., Tetrodotoxin-insensitive central depression by grayanotoxin-III in mice, 364
Olmos, G., Aguilera, P., Tranque, P., Naftolin, F. and Garcia-Segura, L.M., Estrogen-induced synaptic remodelling in adult brain is accompanied by the reorganization of neuronal membranes, 57
Oyster, C.W., Takahashi, E.S., Fry, K.R. and Lam, D.M.-K., Ganglion cell density in albino and pigmented rabbit retinas labeled with a ganglion cell-specific monoclonal antibody, 25

Pang, K. and Rose, G.M., Differential effects of norepinephrine on hippocampal complex-spike and θ-neurons, 146
Penit-Soria, J., Audinat, E. and Crepel, F., Excitation of rat prefrontal cortical neurons by dopamine: an in vitro electrophysiological study, 263
Pickard, G.E., Circadian rhythm of nociception in the golden hamster, 395
Pleasure, D.E., see Rostami, A., 205
Pujol, J.-F., see Quintin, L., 319

Quintin, L., Gillon, J.-Y., Ghignone, M., Renaud, B. and Pujol, J.-F., Baroreflex-linked variations of catecholamine metabolism in the caudal ventrolateral medulla: an in vivo electrochemical study, 319

Renaud, B., see Quintin, L., 319
Reyneke, L., Russell, V.A. and Taljaard, J.J.F., The modulatory effect of neurotensin of [^{3}H]dopamine release from rat nucleus accumbens slices is enhanced after chronic desipramine treatment, 114
Rodriguez del Castillo, A., see Battaner, E., 391
Rose, G.M., see Pang, K., 146
Ross, S.M., Seelig, M. and Spencer, P.S., Specific antagonism of excitotoxic action of 'uncommon' amino acids assayed in organotypic mouse cortical cultures, 120
Rostami, A., Sobue, G., Lisak, R.P. and Pleasure, D.E., A monoclonal antibody to Schwann cell surface membrane recognizes a cAMP inducible epitope, 205
Russell, V.A., see Reyneke, L., 114
Rutten, M.J., Hoover, R.L. and Karnovsky, M.J., Electrical resistance and macromolecular permeability of brain endothelial monolayer cultures, 301

Sandrock, Jr., A.W. and Matthew, W.D., Substrate-bound nerve growth factor promotes neurite growth in peripheral nerve, 360
Satoh, M., see Ueda, H., 101
Schwegler, H., see Crusio, W.E., 182
Seelig, M., see Ross, S.M., 120
Shigenaga, Y., see Nasution, I.D., 234
Shimada, S., Inagaki, S., Kubota, Y., Kito, S., Shiotani, Y. and Tohyama, M., Coexistence of substance P- and enkephalin-like peptides in single neurons of the rat hypothalamus, 256
Shiotani, Y., see Shimada, S., 256
Shouse, M.N., Thalamocortical mechanisms of state-dependent seizures during amygdala kindling and systemic penicillin epilepsy in cats, 198
Siegel, A., see Dalsass, M., 346
Smith, A., see Ferrell, W.R., 369
Sobue, G., see Rostami, A., 205
Soghomonian, J.-J., Doucet, G. and Descarries, L., Serotonin innervation in adult rat neostriatum. I. Quantified regional distribution, 85
Spencer, P.S., see Ross, R.M., 120
Stevens, C.W. and Yaksh, T.L., Chronic antagonist infusion does not increase morphine antinociception in rat spinal cord, 388
Stewart, M.G., see Chmielowska, J., 283
Suzuki, K., see Kondo, A., 186

Takagi, H., see Ueda, H., 101
Takahashi, E.S., see Oyster, C.W., 25
Takahashi, L.K. and Lisk, R.D., Diencephalic organization of estradiol sensitive sites regulating sociosexual behavior in female golden hamsters: contralateral versus ipsilateral activation, 337

Taljaard, J.J.F., see Reyneke, L., 114
Tamura, S., see Ueda, H., 101
Ticku, M.K., see Frey, J.M., 73
Tohyama, M., see Shimada, S., 256
Tomimoto, H., Kamo, H., Kameyama, M., McGeer, P.L. and Kimura, H., Descending projections of the basal forebrain in the rat demonstrated by the anterograde neural tracer *Phaseolus vulgaris* leucoagglutinin (PHA-L), 248
Tranque, P., see Olmos, G., 57

Ueda, H., Tamura, S., Satoh, M. and Takagi, H., Excess release of substance P from the spinal cord of mice during morphine withdrawal and involvement of the enhancement of presynaptic Ca^{2+} entry, 101

Vacher, S.R., see Kobler, J.B., 372
Van den Bosch de Aguilar, P., see Knoops, B., 191
Van Wimersma Greidanus, T.B., see Veldhuis, H.D., 167
Veldhuis, H.D., Van Wimersma Greidanus, T.B. and Versteeg, D.H.G., Microinjection of anti-vasopressin serum into limbic structures of the rat brain: effects on passive avoidance responding and on local catecholamine utilization, 167
Versteeg, D.H.G., see Veldhuis, H.D., 167

Wada, J.A., see Mori, N., 45
Walker, P.D. and McAllister, II, J.P., Minimal connectivity between neostriatal transplants and the host brain, 34
Walro, J.M. and Kucera, J., Sharing of sensory terminals between the dynamic bag_1 and static bag_2 fibers in the rat muscle spindle, 311
Weight, F.F., see Wilson, J.A., 376
Wilson, J.A., Wilson, J.S. and Weight, F.F., $MPDP^+$ causes a non-reversible decrease in neostriatal synaptic transmission in mouse brain slice, 376
Wilson, J.S., see Wilson, J.A., 376
Winblad, B., see Marcusson, J.O., 137

Yaksh, T.L., see Stevens, C.W., 388
Yoneda, Y., see Ohgaki, T., 364